GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER, BANGALORE.

Abstract Notification dated 29th June 1939.

V. I. R. CABLES FOR SHIMSHA NEW PROJECT.

Attention is drawn to this office Notification, dated 27th June 1939, inviting tenders for the above work, published in Part VI, pages 1290-1291 of the *Mysore Gazette*, dated 6th July 1939. The last date of receiving tenders is 24th July 1939.

Abstract Notification dated 29th June 1939.

ELECTRICAL MATERIALS FOR M. P. L. SECTION.

Attention is drawn to this office Notification, dated 29th June 1939, inviting tenders for the above work, published in Part VI, page 1291 of the *Mysore Gazette*, dated 6th July 1939. The last date of receiving tenders is 24th July 1939.

Abstract Notification dated 29th June 1939.

SALE OF COPPER SCRAP.

Attention is drawn to this office Notification, dated 29th June 1939, No. G. N. 52, inviting tenders for the above work, published in Part VI, page 1292 of the *Mysore Gazette*, dated 6th July 1939. The last date of receiving tenders is 24th July 1939.

Abstract Notification dated 1st July 1939.

VARNISHED CAMBRIC INSULATED CABLES FOR S. N. P.

Attention is drawn to this office Notification, dated 30th June 1939, inviting tenders for the above work, published in Part VI, page 1292 of the *Mysore Gazette*, dated 6th July 1939. The last date of receiving tenders is 29th August 1939.

Abstract Notification dated 10th July 1939.

Attention of the public is hereby invited to the detailed Notification, dated 10th July 1939 calling for tenders for putting up foundations and constructing a Plat form at Belagola, published in Part VI, page 1371 of the *Mysore Gazette*, dated 13th July 1939. The latest date for receiving tender is 2 P.M. on the 28th July 1939.

Notification No. G. N. 1, dated 12th July 1939.

Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 2 P.M. on Saturday the 5th August 1939 for the supply of the following :—

FUSE WIRES.

1.	Lead Alloy fuse wire capacity	½	Amp.		1 lb.
2.	Do do	1	,,		5 lbs.
3.	Do do	3	,,		50 ,,
4.	Do do	5	,,		75 ,,
5.	Do do	10	,,		50 ,,
6.	Do do	15	,,		20 ,,
7.	Do do	20	,,		25 ,,
8.	Do do	30	,,		75 ,,
9.	Tinned copper fuse wire capacity	5	,,		2 ,,
10.	Do do	10	,,		3 ,,
11.	Do do	20	,,		20 ,,
12.	Do do	25	,,		25 ,,
13.	Do do	30	,,		25 ,,
14.	Do do	50	,,		25 ,,

The prices shall be for delivery in ½ lb. reels, f.o.r., Bangalore.

The tendering firms should state their earliest time of delivery and the tenders should hold good for a period of one month from the date fixed for the receipt of tenders.

The Chief Electrical Engineer reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor.

Withdrawal from the quotation after it is accepted or failure to make the supply within the stipulated time or according to specifications, will entail cancellation of the order and the purchases being made at the firm's expense from other sources.

The tenders should be superscribed "Tender to be opened at 2 P.M. on 5th August 1939."

Notification No. G. N. 2, dated 12th July 1939.

Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 2 P.M. on Saturday the 29th July 1939 for the supply of the following :—

15 H.P. Induction Motor for B. P. L.

One—Squirrel Cage Induction Type A.C. Motor 15 BHP, 3 phase, 25 cycles, 220 volts, 1440 R.P.M. with two end shield roller or ball bearings, an extension to the shaft at one end with a flange for flexible coupling, an auto-transformer starter provided with two over-current trips, a low voltage tripping device and a suitable ammeter fixed on the starter.

The above motor is intended for direct coupling on to an existing centrifugal pump.

The motor and starter shall fully conform to the latest B.S.S. or A.I.E.E. standards and the tendering firms should furnish full specifications with dimensional drawings of the equipment offered.

The prices shall be for delivery F.O.R., Bangalore.

The tendering firms should state their earliest time of delivery and the tenders should hold good for a period of one month from the date fixed for the receipt of tenders.

The Chief Electrical Engineer reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor.

Withdrawal from the quotation after it is accepted or failure to make the supply within the stipulated time or according to the specifications, will entail cancellation of the order and the purchase being made at the firm's expense from other sources.

The tenders should be superscribed "Tender to be opened at 2 P.M. on 29th July 1939".

Notification No. G. N. 3, dated 12th July 1939.

Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 2 P.M. on Monday the 7th August 1939 for the supply of the following :—

1.	Underground cable, twin conductor, of size 7/0.036 SWG tinned copper strands, each having an equivalent area of not less than 0.007 sq. inch, paper insulated, lead covered, double steel type armoured and jute served for a working pressure of 660 volts A.C. to be supplied in one continuous length	575 ft.
2.	Outdoor pot head type terminal boxes suitable for pole mounting for use with the twin conductor underground cable of item 1 above, complete with compound ..	Two

The above materials shall fully conform to the latest B.S.S. or A.I.E.E. standards and the quotations should be accompanied with full specifications and details *re* the materials offered.

The cable will have to be supplied wound on a non-returnable wooden reel suitably lagged and protected against any kind of damage to the cable during transport.

The prices will be for delivery F.O.R., Mysore.

The tendering firms should state their earliest time of delivery and the tenders should hold good for a period of one month from the date fixed for the receipt of tenders.

The Chief Electrical Engineer reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor.

Withdrawal from the quotation after it is accepted or failure to make the supply within the stipulated time or according to the specifications, will entail cancellation of the order and the purchases being made at the firm's expense from other sources.

The tenders should be superscribed "Tender to be opened at 2 P.M. on 7th August 1939".

Notification No. G. N. 4, dated 13th July 1939.

Sealed tenders will be received in the Office of the Chief Electrical Engineer in Mysore, Bangalore, up to 2 P.M. on Saturday the 5th August 1939, for the supply of the following :—

1.	Pulley Blocks, single sheave, 6″ × ¾″	10 sets.
2.	Do double sheave, 6″ × ¾″	24 ,,
3.	Do do 6″ × 1″	14 ,,
4.	Blow Torches, Primus, 1 pint capacity	14
5.	Bill-Hooks, double edged, Tata's or English	19
6.	Felling Axes, 3 to 4 lbs. do	14
7.	Carpenter's Brace with ratchet arrangement, 12″ sweep	9
8.	Augurs, ⅝″, Sheffield make	42

9.	Hand Saw 36″ long, English make	3
10.	Do 24″ long, do	7
11.	Carpenter's Chisels, 2″, FISH mark	15
12.	Carpenter's Plane with blade 2″ × 14″, English	7
13.	Carpenter's Square 12″ size, English	7
14.	Soldering Pot with laddle	12
15.	Lanterns, Petromax 200 C.P.	7
16.	Do 300 C.P.	2
17.	Bench Vice, 6″ Jaw	7
18.	Self-feed Ball Bearing Drilling Machine, suitable for drilling holes up to ¾″ diar., English make	1
19.	Drill bits for the above machine from ⅜″ to ¾″ in grades of ⅛″, Sheffield	2 sets
20.	Gas Pliers 8″	30
21.	Screw Drivers of sizes 6″, 8″, 12″ and 18″	6 sets
22.	Foot-rule, zig-zag, 1 meter long, wooden	8
23.	Monkey Spanner 18″	4
24.	Steel Foot-rule, folding, 12″	4
25.	Boxwood Foot-rule, folding, 2 ft. long, Rabones	2
26.	Cutting Pliers 8″, insulated handle	6
27.	Hand Ratchet with holdman for drilling holes from ¼″ to 1″ diar., Nettlefolds or other English make	4
28.	Drill Bits for the above, square shank, 9/16″ and 11/16″ diar., Sheffield.	24 of each
29.	Twist Drill Bits, square shank, 11/16″, 13/16″, ¾″ and ½″, Sheffield make	6 sets
30.	Dumbell Spanners	6
31.	Twisting Wrenches for No. 4 B. & S. Copper wire	2 pairs
32.	Sheet Rubber 2′ × 2′ × ½″	6 sheets
33.	Masons' Trowels 8″ and 6″	6 of each
34.	Portable Fan Forge with 18″ hearth, British make	1
35.	Bolt Cutter 36″ size, English make	2
36.	Centre Punches	12
37.	Spirit Level 12″, wooden with brass top	2
38.	Stencil Plates 0 to 9, 3 inches high	1 set
39.	*AVEBY'S* Portable Platform Machine, latest type, ½ ton capacity	Four.
40.	*AVERY'S* do ¼ ton capacity	Two.

The above materials have to be delivered at various places, such as f.o.r, Bangalore, Closepet, Mandya, Mysore, Hole-Narsipur, Chamarajnagar, Tiptur, Davangere, etc., and rates should therefore be quoted for delivery at the above places or any other railway stations in the Mysore State Railway, if necessary.

The quantities noted above are our immediate requirements, and if any further quantities are still required the tenderers must agree to supply them at the same rate within a period of six months at least from the date of their tender.

The tendering firms should state their earliest time of delivery.

The Chief Electrical Engineer reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor.

Withdrawal from the quotation after it is accepted or failure to make the supply within the stipulated time or according to the specifications will entail cancellation of the order and the purchases being made at the firm's expense from other sources.

The tenders should be superscribed "Tender for. Tools and Plant materials, to be opened at or after 2 P.M. on 5th of August 1939."

The tenderers or their representatives may, if they like, be present at the time of opening the tenders.

Notification No. G. N. 5 of 15th July 1939.

Tenders are invited for printing and supplying 2,000 copies of "Combined Telephone Directory—1939 Edition" of Bangalore City and Cantonment, Mysore and Kolar Gold Fields Exchanges, consisting of :—

(A) About 100 pages in all of Alphabetical and Group Lists (2 columns per page) and Numerical Index (4 columns per page) of—
  (1) about 1000 subscribers on the Bangalore City and Cantonment Exchanges;
  (2) about 300 subscribers on the Mysore City Exchange; and
  (3) about 300 subscribers on the K. G. F. Mining Exchange.

(B) About 30 pagse of General Information, such as Rules, Instruction Matter, Schedule of Trunk Call rates, Hiring Contract Form, Foreword, etc., etc.; and

(C) About 60 pages of Advertisements, with and without blocks—
  (1) on white paper, and
  (2) on coloured paper,

with single colour printing mostly and with double-colour printing in a few cases—say about half-a-dozen. Blocks will be supplied by us wherever necessary.

The Alphabetical List should be printed with the Subscribers' Names and Numbers in bold letters, and profession, if any, and addresses in small types, with about 8" blank space between each alphabetical group in the case of Bangalore City and Cantonment Exchanges, and with only 3" blank space between each group in other cases. The Group List, arranged in the order of different Government Departments and Palace, Private Firms, Hotels, Theatres, etc., should be printed with names and numbers only, with 4" blank space between each group. The Numerical Index shall have only the phone numbers and reference to the pages and columns in which they appear in the Alphabetical List.

The Directory shall be of $\frac{1}{8}$ Royal size, *i.e.*, $10\frac{1}{2}" \times 7\frac{1}{2}"$ approximately, with 1-lb. stiff cardboard binding with calico back and art-paper, with a multi-coloured advertisement or art-plate on the front cover page and some other advertisement on the end cover page in single or double colour. 25-lbs. Royal paper should be used for the General Information section and the Alphabetical Lists of subscribers and some of the advertisements. The Group Lists and Numerical Index should be printed on different coloured papers of sufficient thickness, as in the existing Directory, and some of the advertisements also should be printed on coloured papers of assorted colours. Between each list of subscribers on the different Exchanges, thick Hampton cover paper of different colours should be put in, which may contain advertisements, and these should have punch-cutting at three different places to facilitate quick and easy reference to the alphabetical lists of the different Exchanges. The Directory should have rounded corners with a small hole punched at the left-hand top corner and a piece of coloured silk thread attached thereto, and should be similar in general get-up to the one now in use, which may be seen in our office before quoting.

A lump-sum quotation for the entire work as per the above specifications and estimated number of pages, should be furnished ; and separate rates should also be quoted for each page of—

(*a*) General Information section ;
(*b*) Advertisements ;
(*c*) Alphabetical and Group Lists and Numerical Index ;

so that if the number of pages of any of the above exceeds or falls short of the above-estimated figures, necessary addition or reduction may be effected in the bill towards the same. No extra charges should be claimed for any deviations or modifications that may be found necessary in the course of compilation and execution of the work, but not provided for in this enquiry.

The tenderers should state the shortest time within which they can print and supply the Directory and should strictly adhere thereto, failing which, the contract is liable to be cancelled and the work got done at the firm's risk and expense from other sources, and in addition a penalty of 3 per cent of the value of the order is liable to be levied, as and by way of liquidated damages.

Samples of the different papers required to be used should accompany the tender and a deposit of Rs. 100 should be furnished therewith, which will be retained as earnest money in the case of the successful tenderer for satisfactory execution of the work. Non-receipt of this deposit will entail such tenders being left out of consideration.

The Chief Electrical Engineer reserves to himself the right to refuse the lowest or any tender, whole or part, without assigning any reason therefor.

Tenders should reach this office not later than 2 P.M. on Saturday the 5th August 1939, and should be superscribed ' "Tender for Printing and Supplying the Combined Telephone Directory, to be opened at or after 2 P.M. on 5th August 1939."

P. V. K. MURTHY,
For *Chief Electrical Engineer.*

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHT, MYSORE.

Abstract Notification dated 6th July 1939.

Attention of the public is invited to the detailed Notification dated 6th July 1939 in connection with the "Installation of Electric Lights, etc., to the Northern Extension of Hotel Metropole, Mysore" appearing on pages 1349-1350 of Part VI of the *Mysore Gazette*, dated 13th July 1939.

M. M. ALI KHAN,
Superintendent.

GOVERNMENT HIGH SCHOOL, MADHUGIRI.

Abstract Notification dated 22nd June 1939.

The attention of the dealers in Sports materials is invited to the detailed notification calling for the quotations for the supply of sports materials to the Government High School, Madhugiri, for 1939-40, published on pages 1245-1246, Part VI of the *Mysore Gazette*, dated 29th June 1939.

M. RAJA RAO,
Head Master.

OFFICE OF THE HEAD MISTRESS, MAHARANI'S HIGH SCHOOL, MYSORE.

Notification dated 10th July 1939.

It is hereby notified for the information of the public that an unserviceable foot-step of a platform belonging to the School will be sold by public auction on Sunday the 6th August 1939 at 8-30 A.M. in the premises of this school. The article will be sold to the highest bidder and it can be removed only after payment of the full amount.

L. D'SOUZA,
Head Mistress.